

Philips LFF6080/INB □□□□□□□□ □□□□□□□□ □□□□ **600 x 600 DPI 20 ppm**

Brand : Philips

Product code: LFF6080/INB

Product name : LFF6080/INB



Philips LFF6080/INB. 印刷分辨率 印刷范围: 印刷, 印刷范围: 印刷, 印刷范围: 600 x 600 DPI. 印刷 印刷: 印刷 印刷, 印刷 印刷范围: 600 x 600 DPI. 印刷范围 印刷: 印刷范围, 印刷范围 印刷范围 印刷范围: 600 x 2400 DPI. 印刷范围 印刷: 印刷 印刷范围. 印刷范围 印刷: 印刷, 印刷

Printing	
Print technology *	Laser
Printing *	Colour printing
Duplex printing *	✓
Maximum resolution *	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	20 ppm
Economical printing	✓
Copying	
Copying *	Colour copying
Maximum copy resolution *	600 x 600 DPI
Copy speed (black, normal quality, A4)	20 cpm
ID-card copy function	✓
Scanning	
Scanning *	Colour scanning
Optical scanning resolution *	600 x 2400 DPI
Maximum scan resolution	4800 x 4800 DPI
Scan to	FTP, E-mail
Greyscale levels	64
Fax	
Faxing *	Mono faxing
Fax transmission speed	2.5 sec/page
Modem speed	33.6 Kbit/s
Fax memory	125 pages
Error Correction Mode (ECM)	✓
Features	
Digital sender	✗
Page description languages	GDI, PCL 6, PS3
Input & output capacity	
Total input capacity *	250 sheets
Ports & interfaces	
Standard interfaces	USB 2.0, Wireless LAN
Direct printing *	✗
USB port	✓
Network	
Wi-Fi *	✗
Ethernet LAN *	✓
Cabling technology	10/100Base-T(X)
Power	
Power consumption (average operating)	340 W
Power consumption (PowerSave)	13 W
Power consumption (standby)	17 W
System requirements	
Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓
Minimum RAM	192 MB
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32 °C
Storage relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width	412 mm
Depth	447 mm
Height	386 mm
Weight	13 kg
Packaging data	
Package width	500 mm
Package depth	487 mm
Package height	554 mm
Package weight	16 kg
Packaging content	
Cartridge(s) included	✓
Drivers included	✓
Manual	✓
Warranty card	✓
Other features	
Fax polling	✓
Power	340 W
Resizing	✓
Interface	Y
Software CD	✓
Package dimensions (WxDxH)	500 x 487 x 554 mm

Network

Ethernet LAN data rates	10,100 Mbit/s
-------------------------	---------------

Design

Product colour *	Grey, White
------------------	-------------

Built-in display *	✓
--------------------	---



3425160262681

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-APR-2025. Prints or copies of Information are only valid on the printed Publication date