

## Buffalo LinkStation Pro Quad NAS Desktop Marvell 88F6282 0,256 GB DDR3 0 TB Schwarz

**Marke :** Buffalo

**Artikel-Code:** LS-QVL/E-EU

**Produktname :** LinkStation Pro Quad

LinkStation Pro Quad - Netzwerkspeicherlösung (NAS), 0TB

Buffalo LinkStation Pro Quad. Typ: NAS. Gehäusotyp: Desktop. Geräteklasse: Home & Home Office.

Prozessorfamilie: Marvell, Prozessor: 88F6282. Speicherkapazität: 0,256 GB, Interner Speichertyp: DDR3.

Gesamte installierte Speicherkapazität: 0 TB



| Storage                              |                    | Performance                             |                    |
|--------------------------------------|--------------------|---|--------------------|
| Storage drive capacity *             | 0 GB               | Built-in BitTorrent client              | ✓                  |
| Storage drive interface *            | Serial ATA         | Powerful backup NovaBACKUP Professional | ✓                  |
| Maximum supported storage capacity   | 16 TB              | <b>Software</b>                         |                    |
| RAID support *                       | ✓                  | Windows operating systems supported     | ✓                  |
| RAID levels                          | 0, 1, 5, 10, JBOD  | Linux operating systems supported       | ✓                  |
| Hot-swap drive bays                  | ✗                  | Mac operating systems supported         | ✓                  |
| Storage drives installed *           | ✗                  | <b>Power</b>                            |                    |
| Total installed storage capacity *   | 0 TB               | Number of power supply units            | 1                  |
| Number of storage drives supported * | 4                  | Redundant power supply (RPS) support    | ✗                  |
| Supported storage drive types *      | HDD                | Power consumption (typical)             | 43 W               |
| Processor                            |                    | AC input voltage                        | 100-240 V          |
| Processor family *                   | Marvell            | AC input frequency                      | 50 - 60 Hz         |
| Processor model *                    | 88F6282            | <b>Weight &amp; dimensions</b>          |                    |
| Memory                               |                    | Width *                                 | 149 mm             |
| Internal memory *                    | 0.256 GB           | Depth *                                 | 154 mm             |
| Internal memory type                 | DDR3               | Height *                                | 233 mm             |
| Network                              |                    | Weight                                  | 5.5 kg             |
| Ethernet LAN *                       | ✓                  | <b>Operational conditions</b>           |                    |
| Ethernet LAN data rates              | 10,100,1000 Mbit/s | Operating temperature (T-T)             | 5 - 35 °C          |
| Wi-Fi                                | ✗                  | Operating relative humidity (H-H)       | 20 - 80%           |
| Supported network protocols          | TCP/IP             | <b>Other features</b>                   |                    |
| Bandwidth                            | 0.1 Gbit/s         | Dimensions (WxDxH)                      | 149 x 233 x 154 mm |
| Ports & interfaces                   |                    | Management platform                     | HTTP/HTTPS         |
| USB 2.0 ports quantity               | 2                  |   |                    |
| Ethernet LAN (RJ-45) ports *         | 1                  |   |                    |

| Design         |                    | Other features                                   |  |
|----------------|--------------------|--|--|
| Chassis type * | Desktop            | Compatible operating systems                     | Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows XP, Windows 2000, Windows Server 2008, Windows Server 2003, Windows 2000 Server, Mac OS X 10.4-10.8 |
| Product colour | Black              |  |  |
| LED indicators | ✓                  |  |  |
| Performance    |                    | Host interface                                   | RJ-45  |
| Type *         | NAS                | Power supply type                                | AC/DC  |
| Device class * | Home & Home Office | Digital Living Network Alliance (DLNA) certified | ✓  |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2025. Prints or copies of Information are only valid on the printed Publication date