

## HP Elite x2 1011 G1 Intel® Core™ M M-5Y10c Hybrid (2-in-1) 29,5 cm (11.6") Touchscreen Full HD 4 GB LPDDR3-SDRAM 256 GB SSD Windows 8.1 Pro Silber

Marke : HP

Produktfamilie: Elite x2

Artikel-Code: L5G55EA-NL-APPROVED ONE

Produktname : 1011 G1

HP Elite x2 1011 G1. Produkttyp: Hybrid (2-in-1), Formfaktor: Austauschbar (Abnehmbar). Prozessorfamilie: Intel® Core™ M, Prozessor: M-5Y10c, Prozessor-Taktfrequenz: 0,8 GHz. Bildschirmdiagonale: 29,5 cm (11.6"), HD-Typ: Full HD, Bildschirmauflösung: 1920 x 1080 Pixel, Touchscreen. RAM-Speicher: 4 GB, Interner Speichertyp: LPDDR3-SDRAM. Gesamtspeicherkapazität: 256 GB, Speichermedien: SSD. Vorinstalliertes Betriebssystem: Windows 8.1 Pro. Produktfarbe: Silber







Design		Ports & interfaces	
Product type * Product colour *	Hybrid (2-in-1) Silver	SmartCard slot	1
		Keyboard	
Form factor * Country of origin	Convertible (Detachable) China	Pointing device	Touchpad
, ,	Cillia	Numeric keypad *	×
Display	20.5 em (11.6%)	Software	
Display diagonal * Display resolution *	29.5 cm (11.6") 1920 x 1080 pixels	Operating system architecture	64-bit
Touchscreen *	1520 × 1000 pixels	Operating system installed *	Windows 8.1 Pro
HD type	Full HD	Processor special features	
LED backlight	1	Intel® Wireless Display (Intel®	1
Native aspect ratio	16:9	WiDi)	•
Processor		Intel® My WiFi Technology (Intel® MWT)	×
Processor manufacturer *	Intel	Intel® Anti-Theft Technology	×
Processor family *	Intel® Core™ M	(Intel® AT)	
Processor generation	Intel® Core™ m-5xxx	Intel <sup>®</sup> Smart Response Technology	<i>✓</i>
Processor model *	M-5Y10c	Intel® Identity Protection Technology (Intel® IPT)	1
Processor cores	2	Intel® Hyper Threading Technology	
Processor threads	4	(Intel® HT Technology)	•
Processor boost frequency Processor frequency *	2 GHz 0.8 GHz	Intel® Turbo Boost Technology	2.0
Processor cache	4 MB	Intel® Small Business Advantage (Intel® SBA)	1
Processor cache type	L3	Enhanced Intel SpeedStep	
Processor socket	BGA 1234	Technology	1
Processor lithography	14 nm	Intel® Clear Video HD Technology	1
Processor operating modes	32-bit, 64-bit	(Intel® CVT HD)	
Processor series	Intel Core M-5Y Mobile series	Intel Clear Video Technology	×
Processor codename	Broadwell	Intel® InTru™ 3D Technology	4
FSB Parity	×	Intel® Insider™	1
Stepping	F0	Intel <sup>®</sup> Quick Sync Video Technology	
Thermal Design Power (TDP)	4.5 W	Intel Flex Memory Access	1

Processor		Processor special features	
Configurable TDP-up frequency	1 GHz	Intel <sup>®</sup> Smart Cache	✓
Configurable TDP-up	6 W	Intel® AES New Instructions (Intel®	1
Configurable TDP-down	3.5 W	AES-NI)	
Configurable TDP-down frequency	0.6 GHz	Intel Trusted Execution Technology	×
Scenario Design Power (SDP)	3.5 W	Intel Enhanced Halt State	<i>✓</i>
Tjunction	95 °C	Intel VT-x with Extended Page Tables (EPT)	1
Maximum number of PCI Express lanes	12	Intel Demand Based Switching	<b>v</b>
PCI Express slots version	2.0		×
PCI Express configurations	x1 (6), x2 (4), x4 (3)	Intel® Secure Key	
ECC supported by processor	×	Intel TSX-NI	×
Memory		Intel Stable Image Platform Program (SIPP)	×
Internal memory *	4 GB	Intel® OS Guard	1
Internal memory type	LPDDR3-SDRAM	Intel <sup>®</sup> Clear Video Technology for	
Memory clock speed	1600 MHz	Mobile Internet Devices (Intel CVT	×
Memory form factor	On-board	for MID)	
Maximum internal memory *	8 GB	Intel 64	<ul> <li>Image: A start of the start of</li></ul>
Storage		Execute Disable Bit	<ul> <li>Image: A start of the start of</li></ul>
Total storage capacity *	256 GB	Idle States	<ul> <li>Image: A start of the start of</li></ul>
Storage media *	SSD	Thermal Monitoring Technologies	✓
Total SSDs capacity	256 GB	Processor package size	30 x 16.5 mm
Number of SSDs installed	1	Supported instruction sets	AVX 2.0, SSE4.1, SSE4.2
SSD capacity	256 GB	Processor code	SR23C
SSD interface	SATA	CPU configuration (max)	1
Optical drive type *	×	Embedded options available	×
Card reader integrated	1	Graphics & IMC lithography	14 nm
Compatible memory cards	MicroSD (TransFlash)	Intel Virtualization Technology for Directed I/O (VT-d)	1
Graphics		Intel Identity Protection Technology	1.00
Discrete graphics card model *	Not available	version	1.00
On-board graphics card *		Intel Smart Response Technology	1.00
		version Intel Stable Image Platform Program	
Discrete graphics card *	X	(SIPP) version	0.00
On-board graphics card family On-board graphics card model *	Intel® HD Graphics Intel® HD Graphics 5300	Intel Secure Key Technology version	1.00
On-board graphics card house	·	Intel Small Business Advantage	1.00
frequency	300 MHz	(SBA) version	
On-board graphics card dynamic	800 MHz	Intel TSX-NI version Intel Virtualization Technology (VT-	0.00
frequency (max)		x)	<ul> <li>Image: A second s</li></ul>
Maximum on-board graphics card memory	16 GB	Intel Dual Display Capable	×
On-board graphics card DirectX	11 2/12	Technology	^
version	11.2/12	Intel FDI Technology	<i>✓</i>
On-board graphics card OpenGL version	4.3	Intel Rapid Storage Technology	×
On-board graphics card ID	0x161E	Intel Fast Memory Access	<ul> <li>Image: A start of the start of</li></ul>
5 .	UNIOIL .	Processor ARK ID	85234
Audio		Conflict-Free processor	<i>✓</i>
Audio system	DTS Studio Sound	Battery	
Number of built-in speakers	2	Battery technology	Lithium Polymer (LiPo)
Built-in microphone	•	Number of battery cells	2+6
Camera		Power	
Front camera	s.	AC adapter power	45 W
Front camera resolution (numeric)	2 MP	DC-in jack	1
Rear camera	1		
Rear camera resolution (numeric)	5 MP	Security	
Network		Cable lock slot	×
Wi-Fi	1	Sustainability	
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac),	Sustainability certificates	ENERGY STAR
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Ethernet LAN	×		

Network		Weight & dimensions	
Bluetooth	✓	Width	298 mm
Bluetooth version	4.0	Depth	204.2 mm
Ports & interfaces		Height Width (tablet mode)	20.8 mm 29.8 cm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Depth (tablet mode)	19.3 cm
DisplayPorts quantity	1	Height (tablet mode)	1.07 cm 870 g
DVI port	×	Weight *	
S/PDIF out port	×	Other features	
Microphone in	×	LightScribe	×
Combo headphone/mic port	✓		
Docking connector	1		
ExpressCard slot	×		
CardBus PCMCIA slot type	×		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.