

DELL Latitude 7275 Intel® Core™ m7 m7-6Y75 Hybrid (2-in-1) 31,8 cm (12.5") Touchscreen 4K Ultra HD 8 GB LPDDR3-SDRAM 256 GB SSD Windows 10 Pro Tschechisch, Slowakisch Schwarz

Marke : DELL

Produktfamilie: Latitude

Artikel-Code: RPPXW

Produktname : 7275

DELL Latitude 7275. Produkttyp: Hybrid (2-in-1), Formfaktor: Austauschbar (Abnehmbar). Prozessorfamilie: Intel® Core™ m7, Prozessor: m7-6Y75, Prozessor-Taktfrequenz: 1,2 GHz. Anzeigegrösse (Diagonal): 31,8 cm (12.5"), HD type: 4K Ultra HD, Auflösung: 3840 x 2160 Pixel, Touchscreen. Arbeitsspeicher (RAM): 8 GB, Interner Speichertyp: LPDDR3-SDRAM. Gesamtspeicherkapazität: 256 GB, Speichermedien: SSD. Vorinstalliertes Betriebssystem: Windows 10 Pro. Produktfarbe: Schwarz






Design		Software	
Product type *Hybrid (2-in-1)Product colour *BlackForm factor *Convertible (Detachable)	Black	Trial software Operating system installed *	Microsoft Office Windows 10 Pro
	Processor special features		
Market positioning Display	Business	Intel® Wireless Display (Intel® WiDi)	1
Touchscreen type Display diagonal *	Capacitive 31.8 cm (12.5")	Intel® My WiFi Technology (Intel® MWT)	1
Display resolution *	3840 x 2160 pixels	Intel [®] Smart Response Technology	I
Touchscreen *	-	Intel® Hyper Threading Technology (Intel® HT Technology)	1
HD type	4K Ultra HD	Intel [®] Turbo Boost Technology	2.0
Display number of colours1LED backlightImage: ColoursNative aspect ratio1Display surfaceM	Multi-touch 16.78 million colours 16:9 Matt	Intel® Small Business Advantage (Intel® SBA)	1
		Enhanced Intel SpeedStep Technology	 Image: A start of the start of
		Intel® Clear Video HD Technology (Intel® CVT HD)	 Image: A second s
Display brightness	360 cd/m ²	Intel Clear Video Technology	1
Processor		Intel® InTru [™] 3D Technology	1
Processor manufacturer *	Intel	Intel® Insider™	1
Processor family *	Intel® Core™ m7	Intel® Quick Sync Video Technology	
Processor generation Processor model *	Intel® Core™ m7-6xxx m7-6Y75	Intel Flex Memory Access	✓
Processor cores	2	Intel [®] Smart Cache	✓
Processor threads 4		Intel® AES New Instructions (Intel® AES-NI)	1
Processor boost frequency Processor frequency *	3.1 GHz 1.2 GHz	Intel Trusted Execution Technology	✓
Processor cache	1.2 GHZ 4 MB	Intel Enhanced Halt State	1
Processor cache type Smart Cache	Smart Cache	Intel VT-x with Extended Page Tables (EPT)	1
Processor socket Processor lithography	BGA 1515	Intel® Secure Key	1
Processor operating modes	14 nm 32-bit, 64-bit	Intel TSX-NI	 Image: A second s
Processor series	Intel Core m7-6Y series		

Processor		Processor special features	
Processor codename	Skylake	Intel Stable Image Platform Program	
Bus type	OPI	(SIPP)	٠
Stepping	D1	Intel [®] OS Guard	1
Thermal Design Power (TDP)	4.5 W	Intel Software Guard Extensions	1
Configurable TDP-up	7 W	(Intel SGX)	-
Configurable TDP-down	3.5 W	Intel [®] Clear Video Technology for Mobile Internet Devices (Intel CVT	1
Tjunction	100 °C	for MID)	
Maximum number of PCI Express lanes	10	Intel 64	1
PCI Express slots version	3.0	Execute Disable Bit	1
PCI Express configurations	1x2+2x1, 2x2, 1x4, 4x1	Idle States	1
ECC supported by processor	×	Thermal Monitoring Technologies	✓
Memory		Processor package size	20 X 16.5 mm
Internal memory *	8 GB	Supported instruction sets	SSE4.1, SSE4.2, AVX 2.0
Internal memory type	LPDDR3-SDRAM	Processor code	SR2EH
Memory clock speed	1600 MHz	CPU configuration (max)	1
Memory form factor	On-board	Embedded options available	X 14 mm
Maximum internal memory *	8 GB	Graphics & IMC lithography Intel Virtualization Technology for	14 nm
Storage		Directed I/O (VT-d)	v
Total storage capacity *	256 GB	Intel Smart Response Technology	1.00
Storage media *	SSD	version	
Number of SSDs installed	1	Intel Stable Image Platform Program (SIPP) version	1.00
SSD capacity	256 GB	Intel Secure Key Technology version	1.00
SSD interface	SATA	Intel Small Business Advantage	1.00
SSD form factor	M.2	(SBA) version	
Optical drive type *	×	Intel TSX-NI version	1.00
Card reader integrated		Intel Virtualization Technology (VT- x)	1
Compatible memory cards	MicroSD (TransFlash)	Processor ARK ID	88199
Graphics		Conflict-Free processor	✓
Discrete graphics card model *	Not available	Battery	
On-board graphics card *	1	Number of battery cells	2
Discrete graphics card *	×	Battery capacity *	30 Wh
On-board graphics card family	Intel® HD Graphics	Power	
On-board graphics card model * On-board graphics card base	Intel [®] HD Graphics 515	AC adapter power	30 W
frequency	300 MHz	AC adapter frequency	50 - 60 Hz
On-board graphics card dynamic	1000 MHz	AC adapter input voltage	120 - 240 V
frequency (max)		AC adapter output current	1.5 A
Maximum on-board graphics card memory	1.74 GB	AC adapter output voltage	20 V
On-board graphics card DirectX	12.0	DC-in jack	v
version	12.0	Security	
On-board graphics card OpenGL version	4.4	Cable lock slot	1
On-board graphics card ID	0x191E	Cable lock slot type	Noble
Audio		Trusted Platform Module (TPM)	✓
Audio system		Operational conditions	
Number of built-in speakers	MaxxAlidio Pro		
Nulliber of built-in speakers	MaxxAudio Pro 2	Operating temperature (T-T)	0 - 35 °C
Speakers manufacturer		Operating temperature (T-T) Storage temperature (T-T)	0 - 35 °C -40 - 65 °C
•	2		
Speakers manufacturer Built-in microphone	2 Waves	Storage temperature (T-T)	-40 - 65 °C
Speakers manufacturer Built-in microphone Camera	2 Waves ✔	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m
Speakers manufacturer Built-in microphone Camera Front camera	2 Waves ✓	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 - 65 °C 10 - 90% 5 - 95%
Speakers manufacturer Built-in microphone Camera	2 Waves ✓ 5 MP	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m
Speakers manufacturer Built-in microphone Camera Front camera Front camera resolution (numeric)	2 Waves ✓	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m
Speakers manufacturer Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution	2 Waves ✓ 5 MP 2592 x 1944 pixels	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m -15.2 - 10668 m
Speakers manufacturer Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Video capturing speed	2 Waves ✓ 5 MP 2592 x 1944 pixels 30 fps	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Certification	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m -15.2 - 10668 m
Speakers manufacturer Built-in microphone Camera Front camera Front camera resolution (numeric) Front camera resolution Video capturing speed Auto focus	2 Waves ✓ 5 MP 2592 x 1944 pixels 30 fps ✓	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Certificates Certification Sustainability	-40 - 65 °C 10 - 90% 5 - 95% -15.2 - 3048 m -15.2 - 10668 m BFR/PVC

Network		Weight & dimensions	
Wi-Fi	✓	Width	290.9 mm
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Depth Height	192.9 mm 17.1 mm
Ethernet LAN	×	Weight (tablet mode)	730 g
Bluetooth	✓	Width (tablet mode)	29.1 cm
Bluetooth version	4.1	Depth (tablet mode)	19.3 cm
Bluetooth Low Energy (BLE) WWAN	✓ Installed	Height (tablet mode) Weight *	8.1 mm 1.28 kg
Ports & interfaces		Packaging content	
DVI port	×	AC adapter included *	1
Thunderbolt 3 ports quantity	2	Manual	1
Combo headphone/mic port	1	Power cord included	1
Docking connector	✓	Other features	
Keyboard		Maximum internal memory (64-bit)	8 GB
Pointing device	Touchpad	Intel segment tagging SIM card support	Enterprise
Numeric keypad *	×		 Image: A start of the start of
Full-size keyboard	✓		
Windows keys	✓		
Keyboard language	Czech, Slovakian		
Software			
	C 1 hit		

Operating system architecture

64-bit



5397063923106

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.