

Philips Network Laserfax with printer LFF6080/INB



Brand : Philips

Product code: LFF6080/INB

Product name : Network Laserfax with printer LFF6080/INB

LaserMFD 6080, 20ppm, 600 x 600 dpi, G3, GDI/PCL-6/PS3, USB 2.0, Fast Ethernet, WLAN

Philips Network Laserfax with printer LFF6080/INB:

The new Philips Laser MFD 6080 combines several office routine jobs in one device - faxing, printing, scanning and copying with network connectivity. The laser technology saves up to 40% toner and the eco mode ensures efficiency.

Philips Network Laserfax with printer LFF6080/INB. Print technology: Laser, Printing: Colour printing, Maximum resolution: 600 x 600 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 2400 DPI. Faxing: Mono faxing. Product colour: Grey, White

| Printing | | Power | |
|---|-----------------------|---------------------------------------|-------------|
| Print technology * | Laser | Power consumption (average operating) | 340 W |
| Printing * | Colour printing | Power consumption (PowerSave) | 13 W |
| Duplex printing * | ✓ | Power consumption (standby) | 17 W |
| Maximum resolution * | 600 x 600 DPI | System requirements | |
| Print speed (black, normal quality, A4/US Letter) * | 20 ppm | Windows operating systems supported | ✓ |
| Economical printing | ✓ | Mac operating systems supported | ✓ |
| Copying | | Linux operating systems supported | ✓ |
| Copying * | Colour copying | Minimum RAM | 192 MB |
| Maximum copy resolution * | 600 x 600 DPI | Operational conditions | |
| Copy speed (black, normal quality, A4) | 20 cpm | Operating relative humidity (H-H) | 20 - 80% |
| ID-card copy function | ✓ | Storage temperature (T-T) | -20 - 40 °C |
| Scanning | | Operating temperature (T-T) | 10 - 32 °C |
| Scanning * | Colour scanning | Storage relative humidity (H-H) | 20 - 80% |
| Optical scanning resolution * | 600 x 2400 DPI | Weight & dimensions | |
| Maximum scan resolution | 4800 x 4800 DPI | Width | 412 mm |
| Scan to | FTP, E-mail | Depth | 447 mm |
| Greyscale levels | 64 | Height | 386 mm |
| Fax | | Weight | 13 kg |
| Faxing * | Mono faxing | Packaging data | |
| Fax transmission speed | 2.5 sec/page | Package width | 500 mm |
| Modem speed | 33.6 Kbit/s | Package depth | 487 mm |
| Fax memory | 125 pages | Package height | 554 mm |
| Error Correction Mode (ECM) | ✓ | Package weight | 16 kg |
| Features | | Packaging content | |
| Digital sender | ✗ | Cartridge(s) included | ✓ |
| Page description languages | GDI, PCL 6, PS3 | Drivers included | ✓ |
| Input & output capacity | | Manual | ✓ |
| Total input capacity * | 250 sheets | Warranty card | ✓ |
| Ports & interfaces | | Other features | |
| Standard interfaces | USB 2.0, Wireless LAN | Fax polling | ✓ |
| Direct printing * | ✗ | Power | 340 W |
| USB port | ✓ | Resizing | ✓ |
| Network | | Interface | Y |
| Wi-Fi * | ✗ | Software CD | ✓ |

| Network | | Other features | |
|-------------------------|-----------------|----------------------------|--------------------|
| Ethernet LAN * | ✓ | Package dimensions (WxDxH) | 500 x 487 x 554 mm |
| Cabling technology | 10/100Base-T(X) | | |
| Ethernet LAN data rates | 10,100 Mbit/s | | |
| Design | | | |
| Product colour * | Grey, White | | |
| Built-in display * | ✓ | | |



3425160262681

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-APR-2025. Prints or copies of Information are only valid on the printed Publication date