Canon

Canon PIXMA MX300 Inkjet A4 4800 x 1200 DPI 22 ppm

Brand : Canon Product family: PIXMA Product code: 2182B010

Product name: MX300

Digital PIXMA MX300, Print, Scan, Copy, Fax, and Camera direct printing
Canon PIXMA MX300. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x
1200 DPI, Print speed (colour, normal quality, A4/US Letter): 17 ppm. Copying: Colour copying. Scanning:
Mono scanning, Scan resolution, optical: 600 x 1200 DPI. Faxing: Colour faxing. Maximum ISO A-series
paper size: A4. Direct printing





Printing		Ports & interfaces	
Print technology *	Inkjet	Standard interfaces	USB 2.0
Printing *	Colour printing	Direct printing *	✓
Maximum resolution *	4800 x 1200 DPI	USB port	✓
Print speed (black, normal quality, A4/US Letter) *	22 ppm	USB 2.0 ports quantity	1
Print speed (colour, normal quality, A4/US Letter)	17 ppm	Performance Sound pressure level (printing)	39.5 dB
DVD/CD printing	×	Mac compatibility	39.3 UB ✓
Copying		Minimum system requirements	CD-ROM / 1024x768
Copying *	Colour copying	Design	
Copy speed (black, normal quality, A4)	22 cpm	Market positioning *	Home & office
Copy speed (colour, normal quality,	17 cpm	Power	
A4) Maximum number of copies	99 copies	Power consumption (average operating)	13 W
Scanning		Power consumption (standby)	1.7 W
Scanning *	Mono scanning	Power consumption (off)	1 W
Optical scanning resolution *	600 x 1200 DPI	System requirements	
Maximum scan area	216 x 297 mm	Minimum RAM	128 MB
Scanner type *	Flatbed scanner	Minimum storage drive space	800 MB
Input colour depth	48 bit	Minimum processor	Pentium II 300 MHz/PowerPC G3
Fax		Operational conditions	
Faxing *	Colour faxing	Operating relative humidity (H-H)	10 - 90%
Fax speed (A4)	3 sec/page	Operating temperature (T-T)	5 - 35 °C
Error Correction Mode (ECM)	1	Weight & dimensions	
Fax coding methods	MH, MR	Weight	7 kg
Features		Packaging content	
Digital sender Number of print cartridges *	4	Bundled software	MP Navigator EX, Easy-PhotoPrint EX, ScanSoft OmniPage SE (OCR), NewSoft Presto! PageManager

Input & output capacity		Other features	
Maximum input capacity	100 sheets	Dimensions (WxDxH)	465 x 440 x 174 mm
Paper handling		Power requirements	AC 100-240V, 50/60Hz
Maximum ISO A-series paper size * Paper tray media types *	A4 Envelopes, Glossy paper, Photo	Standard media sizes	10 x 15cm, 10 x 18cm, 13 x 18cm, 20 x 25cm, Credit Card (54 x 86mm)
ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	paper, Plain paper A4, A5 B5	Compatible operating systems	Windows Vista / Windows XP SP1, SP2 / Windows 2000 Professional SP2, SP3, SP4 Mac OS X v.10.2.8 - v.10.4
Envelopes sizes Borderless printing media sizes Media weight (tray 1)	DL A4 64 - 105 g/m ²	PictBridge All-in-one functions	✓ Copy, Fax, Scan
		Colour all-in-one functions	Copy, Fax, Print

