## Epson Aculaser C2800DTN + Duplex Unit Color 2400 x 2400 DPI

Brand : Epson

Product code: C11CA09031BY

Product name : Epson AcuLaser C2800DTN

## Aculaser C2800DTN + Duplex Unit

Epson Aculaser C2800DTN + Duplex Unit. Print technology: Laser, Color. Maximum duty cycle: 60000 pages per month. Maximum resolution: 2400 x 2400 DPI, Print speed (black, normal quality, A4/US Letter): 25 ppm, Duplex printing. Network ready





| Printing   |                       | Power  |                    |
|--|-----------------------|--|--------------------|
| Print speed (colour, normal quality,<br>A4/US Letter)  | 20 ppm                | Power consumption (standby)<br>Power consumption (PowerSave) | 78 W<br>17 W       |
| Colour *   | 1                     | Operational conditions                                       |                    |
| Print technology *                                     | Laser                 | Operating temperature (T-T)                                  | 10 - 32 °C         |
| Duplex printing *                                      | 1                     | Storage temperature (T-T)                                    | 0 - 35 °C          |
| Maximum resolution *                                   | 2400 x 2400 DPI       | Operating relative humidity (H-H)                            | 10 - 85%           |
| Print speed (black, normal quality,<br>A4/US Letter) * | 25 ppm                | Storage relative humidity (H-H)                              | 15 - 80%           |
| Warm-up time   | 30 s                  | Sustainability   |                    |
| Time to first page (black, normal)                     | 15 s                  | Sustainability certificates                                  | ENERGY STAR        |
| Time to first page (colour, normal)                    | 15 s                  | Weight & dimensions  |                    |
| Features   |                       | Weight   | 32.9 kg            |
| Maximum duty cycle *                                   | 60000 pages per month | Dimensions (WxDxH)   | 408 x 577 x 615 mm |
| Country of origin                                      | China                 | Packaging data   |                    |
| Input & output capacity                                |                       | Package width  | 570 mm             |
| Total input capacity *                                 | 400 sheets            | Package depth  | 740 mm             |
| Total output capacity *                                | 250 sheets            | Package height   | 840 mm             |
| Paper tray 2 input capacity                            | 550 sheets            | Package weight   | 43.9 kg            |
| Multi-Purpose tray                                     | 1                     | Logistics data   |                    |
| Multi-Purpose tray input capacity                      | 150 sheets            | Pallet gross width   | 120 cm             |
| Maximum input capacity                                 | 950 sheets            | Pallet gross height  | 100 cm             |
| Paper handling   |                       | Products per pallet layer                                    | 2 pc(s)            |
| Media weight (tray 1)                                  | 60 - 216 g/m²         | Products per pallet  | 4 pc(s)            |
|  | -                     | Pallet length (UK)   | 2.33 m             |

| Network   |   | Logistics data                 |  |
|---|---|--------------------------------|--|
| Network ready   | 1   | Products per pallet layer (UK) | 2 pc(s)  |
| Supported network protocols (IPv4)  | LPR, FTP, IPP, PORT2501,<br>PORT9100, TCP/IP, NetBEUI<br>SNMP, HTTP, TELNET, DHCP,<br>BOOTP, APIPA, PING, DDNS,<br>mDNS†1, SNTP, SSDP, SLP, Auto-IP,<br>SSDP MS, SNMP | Products per pallet (UK)       | 4 pc(s)  |
|   |   | Other features                 |  |
| Management protocols  |   | Mac compatibility              | ✓  |
|   |   | Standard media sizes           | A4, A5, B5, LT, GLT, HLT, LGL, GLG<br>ISO - B5, EXE, C5, DL (76.2 - 220<br>mm) x (98.4 - 355.6 mm)     |
| Performance   |   | Power requirements             | 220V - 240V, 50Hz, 60Hz  |
| Internal memory *   | 128 MB  | Networking features            | Ethernet 10 / 100 Base-TX  |
| Maximum internal memory   | 640 MB<br>400 MHz<br>30 dB<br>51 dB   | Power consumption (active)     | 750 W  |
| Processor frequency<br>Sound pressure level (printing)<br>Sound power level (standby) |   | Compatible operating systems   | Windows 2000 / XP / Server 2003 /<br>Vista / XP x64 Edition / Server 2003<br>x64 / Vista x64, Mac OS X |
| Design  |   | Emulations                     | ESC/P-C, PCL5c, PCL6, APS3,<br>PDF1.3, ESCP2, FX, I239X  |
| Certification   | 2006/95/EC EN60950-1<br>2004/108/EC, EN 55022 Class B, EN<br>55024, EN 61000-3-2; EN 61000-3-3  | Quantity per pack              | 1 pc(s)  |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.