



DELL P2217 LED display 55,9 cm (22") 1680 x 1050 pixels WSXGA+ LCD Noir

Marque : DELL

Code produit: P2217

Nom du produit : P2217

- 55.9cm (22") WSXGA+ 1680 x 1050 LED TN
- 5ms, 16:10, 250cd/m², 1000:1
- USB, VGA, HDMI, DisplayPort
55.9cm (22") WSXGA+ 1680 x 1050 LED TN, 16:10, 250cd/m², 16.78M, 5ms, 1000:1

DELL P2217 LED display 55,9 cm (22") 1680 x 1050 pixels WSXGA+ LCD Noir:

L'écran Dell 22 | P2217 permet d'atteindre un niveau de productivité supérieur sur le lieu de travail, tout en garantissant confort et convivialité.

DELL P2217. Taille de l'écran: 55,9 cm (22"), Résolution de l'écran: 1680 x 1050 pixels, Type HD: WSXGA+, Technologie d'affichage: LCD. Écran: LED. Surface d'affichage: Mat, Temps de réponse: 5 ms, Format d'image: 16:10, Angle de vision horizontal: 160°, Angle de vision vertical: 170°. Concentrateur USB intégré. Montage VESA, Réglage de la hauteur. Couleur du produit: Noir




Display		Ergonomics	
Display diagonal *	55.9 cm (22")	Pivot angle	0 - 90°
Display resolution *	1680 x 1050 pixels	Swivelling	✓
HD type *	WSXGA+	Swivel angle range	-45 - 45°
Native aspect ratio *	16:10	Tilt adjustment	✓
Display technology *	LCD	Tilt angle range	-5 - 21°
Panel type *	TN	Power	
Backlight type	LED	Energy efficiency class (SDR) *	D
Touchscreen *	✗	Energy consumption (SDR) per 1000 hours *	13 kWh
Display brightness (typical)	250 cd/m²	Power consumption (typical) *	13.3 W
Response time *	5 ms	Power consumption (standby) *	0.2 W
Display surface	Matt	Power consumption (max)	37 W
Screen shape *	Flat	Power consumption (off)	0.2 W
Supported graphics resolutions	1680 x 1050 (WSXGA+)	Power consumption (PowerSave)	15.2 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i	AC input voltage	100 - 240 V
Contrast ratio (typical) *	1000:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	4000000:1	Input current	1.5 A
Viewing angle, horizontal	160°	Energy efficiency scale	A to G
Viewing angle, vertical	170°	European Product Registry for Energy Labelling (EPREL) code	344255
Display number of colours *	16.78 million colours	Operational conditions	
Pixel pitch	0.282 x 0.282 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	90 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 83 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	56 - 76 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	47.4 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	29.6 cm	Non-operating altitude	5000 - 12191 m
Viewable size diagonal	55.9 cm		
Colour gamut	84%		
3D	✗		

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	503.4 mm
AMD FreeSync *	✗	Depth (with stand)	180 mm
Multimedia		Height (with stand)	330.4 mm
Built-in speaker(s) *	✗	Weight (with stand)	3 kg
Built-in camera *	✗	Width (without stand)	503.4 mm
Design		Depth (without stand)	50.3 mm
Market positioning *	Business	Height (without stand)	497.4 mm
Product colour *	Black	Bezel width (side)	1.48 cm
Ports & interfaces		Bezel width (top)	1.68 cm
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Bezel width (bottom)	1.75 cm
Built-in USB hub *	✓	Packaging data	
Number of upstream ports	1	Package width	379 mm
USB Type-A downstream ports quantity	4	Package depth	550.9 mm
VGA (D-Sub) ports quantity	1	Package height	165.1 mm
DVI port	✗	Package weight	7.03 kg
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability certificates	EPEAT Gold, ENERGY STAR
HDMI version	1.4	Other features	
DisplayPorts quantity	1	Display	LED
DisplayPort version	1.2	TV tuner integrated	✗
Ergonomics		Compliance industry standards	TCO
VESA mounting *	✓	Certification	RoHS
Panel mounting interface	100 x 100 mm	Thin Client	
Cable lock slot *	✓	Thin client installed	✗
Height adjustment *	✓	Logistics data	
Adjustable height (max)	13 cm	Harmonized System (HS) code	85285210
Pivot	✓		



5397063744541




7449681216790



0884116230687



884116230687



4058154136362



5705965994702



5397063744565



0884116366447



884116366447

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.