Canon

Canon Digital IXUS 90 IS 1/2.3" 10 MP CCD (dispositif à transfert de charge) 3648 x 2736 pixels Argent

Marque : Canon Famille de produit: Digital Code produit: IXUS 90IS

IXUS

Nom du produit: 90 IS

Canon Digital IXUS 90 IS. Mégapixel: 10 MP, Taille du capteur d'image: 1/2.3", Type de capteur: CCD (dispositif à transfert de charge), Résolution d'image maximale: 3648 x 2736 pixels. Zoom optique: 3x, Zoom numérique: 4x, Longueur focale: 6.2 - 18.6 mm. Résolution vidéo maximale: 640 x 480 pixels. Taille de l'écran: 7,62 cm (3"). Mémoire interne: 32 Mo. Poids: 155 g. Couleur du produit: Argent



Picture quality		Ports & interfaces	
Image sensor size *	1/2.3"	USB version *	2.0
Megapixel (approx.) *	CCD age resolution * 3648 x 2736 pixels 640 x 480,1600 x 1200,2272 x	Camera	
Sensor type * Maximum image resolution *		White balance *	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Tungsten
Still image resolution(s) *		Scene modes *	Beach, Children, Fireworks, Night, Party (indoor), Portrait, Sunset, Underwater
Image stabilizer *	✓	Photo effects *	Black&White, Positive film, Sepia,
Lens system		Camera playback	Skin tones, Vivid Single image
Optical zoom *	3x	Custom colour	✓
Digital zoom *	4x	Design	
Focal length range	6.2 - 18.6 mm 6/5	Product colour *	Silver
Lens structure (elements/groups)	0/5		Silver
Focusing		Battery	
Focus * Focus adjustment *	TTL Auto	Battery technology * Battery type	Lithium-lon (Li-lon) NB-5L
Exposure		System requirements	
ISO sensitivity	80, 100, 200, 400, 800, 1600, Auto	Mac compatibility	✓
Light exposure modes *	Auto	Operational conditions	
Flash		Recommended operating	0 - 40 °C
Flash modes *	Auto, Flash off, Manual, Red-eye reduction	temperature range (T-T) Operating relative humidity (H-H)	10 - 90%
Flash exposure lock	✓	Weight & dimensions	
Flash range (wide)	0.3 - 3.5 m	Width	91.6 mm
Flash range (tele)	0.3 - 2 m	Depth	56.8 mm
Video		Height	20.9 mm
Video recording *	✓	Weight	155 g
Maximum video resolution *	640 x 480 pixels	Packaging content	
Motion JPEG frame rate Video formats supported	15 fps avi	Bundled software	- ZoomBrowser EX / ImageBrowser - PhotoStitch - TWAIN (2000)
Memory		Other features	
Internal memory	32 MB	Video capability	1
Compatible memory cards *	mmc, sd	Interface	Hi-Speed USB
Display		Built-in flash	✓
Display *	LCD	Camera shutter speed	1/60 - 1/1500 s
Display diagonal *	7.62 cm (3")	Focal length (35mm film equivalent)	35 - 105 mm

Other features

Compatible operating systems

Windows 2000 SP4 / XP SP2 / Vista Mac OS X v10.3 - 10.4

Digital SLR

