

## HP w2228h monitori 55,9 cm (22") 1680 x 1050 pikseļi LED Melns, Sudrabs

Zīmols : HP Preces kods: KU913AA

Modeļa nosaukums: w2228h

HP w2228h. Displeja diagonāle: 55,9 cm (22"), Ekrāna izšķirtspēja: 1680 x 1050 pikseļi, Ekrāna tehnoloģija: LED. Ekrāns: LCD. Atbildes laiks: 3 ms, Projektora formātu attiecība: 16:10, Skata leņķis, horizontāli: 160°, Skata leņķis, vertikāli: 160°. Iebūvēti skaļruņi. USB mezgla versija: 2.0. VESA stiprinājums, Augsta koriģēšana. Produkta krāsa: Melns, Sudrabs





Display		Ergonomics	
Display diagonal * Display resolution * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (typical) Response time * Supported graphics resolutions Aspect ratio Contrast ratio (typical) *	55.9 cm (22") 1680 x 1050 pixels 16:10 LED TN+Film X 300 cd/m <sup>2</sup> 3 ms 1680 x 1050 (WSXGA+) 16:10 1000:1	Cable lock slot * Height adjustment * Adjustable height (max) Pivot Pivot angle Swivelling Tilt adjustment Tilt angle range On Screen Display (OSD) Plug and Play	X  11 cm  0 - 90°  1 - 5 - 30°  1 - 5 - 30°
Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical Pixel pitch Horizontal scan range Vertical scan range 3D	3000:1 160° 160° 0.282 x 0.282 mm 24 - 82 kHz 48 - 76 Hz	Power  Power consumption (max)  Power consumption (PowerSave)  AC input voltage  AC input frequency  Operational conditions	65 W 2 W 100 - 240 V 50 - 60 Hz
Multimedia  Number of speakers  RMS rated power	2 4 W	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	5 - 35 °C -33 - 60 °C 20 - 80% 5 - 95%
Built-in speaker(s) * Built-in camera *	×	Weight & dimensions	
Design Product colour * Ports & interfaces	Black, Silver	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	523 mm 289 mm 481 mm 9 kg
USB hub version USB Type-A downstream ports quantity	2.0	<b>Sustainability</b> Sustainability certificates	ENERGY STAR

Ports & interfaces		Other features	
VGA (D-Sub) ports quantity	1	Country of origin	China
DVI-D ports quantity	1	Display	LCD
HDMI ports quantity	1	On/off switch	✓
Microphone in	✓	TV tuner integrated	×
HDCP	✓	Certification	CISPR, VCCI, CE, FCC, UL, GOST, SABS, BNCI, SEMKO
AC (power) in	✓	certification	
Ergonomics		Thin Client	
VESA mounting *	<b>✓</b>	Thin client installed	×
Panel mounting interface	100 x 100 mm		






















































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.