

## Fujitsu PRIMERGY TX200 S3 server Tower (4U) Intel® Xeon® 5000 Sequence 5110 1.6 GHz 1 GB DDR2-SDRAM 600 W

Brand : Fujitsu

Product family: PRIMERGY

Article code: VFY:TX200S3-002DE



Product name : PRIMERGY TX200 S3

Fujitsu PRIMERGY TX200 S3. Processor family: Intel® Xeon® 5000 Sequence, Processor frequency: 1.6 GHz, Processor model: 5110. Internal memory: 1 GB, Internal memory type: DDR2-SDRAM, Memory layout (slots x size): 2 x 0.5 GB. Optical drive type: DVD-ROM. Power supply: 600 W. Chassis type: Tower (4U)

Processor		Software	
Processor manufacturer *	Intel		Microsoft Windows 2000 Server,
Processor family *	Intel® Xeon® 5000 Sequence	Compatible operating systems *	Microsoft Windows 2000 Advanced Server, Microsoft Windows Server 2003 Enterprise Edition, Microsoft Windows Server 2003 Web Edition, Microsoft Windows Server 2003 Standard Edition, Microsoft Windows Small Business Server 2003 Standard Ed, Microsoft Windows Small Business Server 2003 Premium Ed, SuSE Linux Enterprise Server 8 for Intel x86, Red Hat Enterprise Linux 3, SuSE Linux Enterprise Server 9 - x86/AMD64/Intel EM64T, Microsoft Windows Server 2003 Standard x64 Edition, Red Hat Enterprise Linux 4, Microsoft Windows Server 2003 Enterprise x64 Edition, SuSE Linux 9.2, SuSE Linux 9.3, Red Hat
Processor model *	5110		
Processor frequency *	1.6 GHz		
Processor cores	2		
Processor cache	4 MB		
Motherboard chipset	Intel® 5000V		
Thermal Design Power (TDP)	65 W		
Processor cache type	L2		
Processor front side bus	1066 MHz		
Processor socket	LGA 771 (Socket J)		
Processor lithography	65 nm		
Processor threads	2		
Processor operating modes	64-bit		
FSB Parity	<i>✓</i>		
Bus type	FSB		Enterprise Linux 4 - Intel EM64T
Processor codename	Woodcrest	Bundled software	ServerStart, ServerView
Tcase	65 °C	Processor special features	
ECC supported by processor	×	Intel Rapid Storage Technology	×
Execute Disable Bit	<ul> <li>Image: A set of the set of the</li></ul>	Enhanced Intel SpeedStep	1
Idle States	1	Technology	•
Thermal Monitoring Technologies	<ul> <li>Image: A set of the set of the</li></ul>	Intel® Wireless Display (Intel® WiDi)	×
Processor package size	37.5 x 37.5 mm	Intel Virtualization Technology for	
Embedded options available	×	Directed I/O (VT-d)	×
Number of Processing Die Transistors	291 M	Intel® Anti-Theft Technology (Intel® AT)	×
CPU multiplier (bus/core ratio) Processing Die size	6 143 mm²	Intel® Hyper Threading Technology (Intel® HT Technology)	×
Processor series	Intel Xeon 5100 Series	Intel® My WiFi Technology (Intel® MWT)	×
Conflict-Free processor	×	Intel® Turbo Boost Technology	×
Memory		Intel® Quick Sync Video Technology	×
Internal memory *	1 GB	Intel® InTru™ 3D Technology	×
Internal memory type * ECC	DDR2-SDRAM	Intel <sup>®</sup> Clear Video HD Technology (Intel <sup>®</sup> CVT HD)	×
Memory layout (slots x size)	2 x 0.5 GB	Intel® Insider™	×
Maximum internal memory *	16 GB	Intel Flex Memory Access	×
Storage		Intel® AES New Instructions (Intel®	
RAID levels	1	AES-NI)	×
	T		

Storage		Processor special features	
Optical drive type *	DVD-ROM	Intel Trusted Execution Technology	×
Network		Intel Enhanced Halt State	1
Networking features	Gigabit Ethernet	Intel VT-x with Extended Page Tables (EPT)	×
Ports & interfaces		Intel Demand Based Switching	×
Ethernet LAN (RJ-45) ports * USB 2.0 ports quantity PS/2 ports quantity VGA (D-Sub) ports quantity	1 3 2 1	Intel Clear Video Technology	×
		Intel <sup>®</sup> Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	×
Serial ports quantity	2	Intel 64	1
Design		Intel Virtualization Technology (VT- x)	<ul> <li>Image: A second s</li></ul>
Chassis type *	Tower (4U)	Intel Dual Display Capable Technology	×
		Intel FDI Technology	×
		Intel Fast Memory Access	×
		Processor ARK ID	27214
		Power	
		Power requirements Power supply *	100 - 240 VAC, 50 - 60 Hz 600 W
		Weight & dimensions	

Width

Depth

Height

Weight

Other features Storage drive controller

CD read speed

Dimensions (WxDxH)

286 mm

775 mm

473 mm

25 kg

SAS

48x

286 x 775 x 473 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.